



NTN Bearing Driveshaft do Brasil



japan koyo nsk 6805 61805 2RS 2Z electric motor parts ceramic deep groove ball bearing size 25x37x7

Bearing No. 6805

6805 Bearing 2D drawings and 3D CAD models

| | |
|-------------------------------|--------------------------|
| Size | 25x37x7 mm |
| Bore Diameter | 25 mm |
| Outer Diameter | 37 mm |
| Width | 7 mm |
| d | 25 mm |
| D | 37 mm |
| B | 7 mm |
| C | 7 mm |
| r min. | 0,3 mm |
| da min. | 27 mm |
| Da max. | 35 mm |
| ra max. | 0,3 mm |
| Weight | 0,022 Kg |
| Basic dynamic load rating (C) | 4,3 kN |
| Basic static load rating (C0) | 2,95 kN |
| (Grease) Lubrication Speed | 18000 r/min |
| (Oil) Lubrication Speed | 21000 r/min |
| Category | Single Row Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.024 |
| EAN | 0605790083839 |
| Product Group | B00308 |



NTN Bearing Driveshaft do Brasil

| | |
|---------------------------------|---|
| Enclosure | Open |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch - Metric | Metric |
| Long Description | 25MM Bore; 37MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category | Single Row Ball Bearing |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Manufacturer URL | http://www.koyousa.com |
| Manufacturer Item Number | 6805 |
| Weight / LBS | 0.052 |
| Bore | 0.984 Inch 25 Millimeter |
| Outside Diameter | 1.457 Inch 37 Millimeter |
| Outer Race Width | 0.276 Inch 7 Millimeter |
| Bearing No. | 6805 |
| r(min) | 0.3 |
| Cr | 5.40 |
| C0r | 2.95 |
| Cu | 0.120 |
| f0 | 16.0 |
| | |



NTN Bearing Driveshaft do Brasil

| | |
|------------------|-------|
| Grease lub. | 18000 |
| Oil lub. | 21000 |
| da(min) | 27 |
| Da(max) | 35 |
| ra(max) | 0.3 |
| (Refer.)Mass(kg) | 0.022 |